

MURRAY[®]





About Murray

Affordable and efficient, Murray products have been getting the job done for over 90 years. Today, as a member of the Briggs & Stratton family of outdoor power products, Murray wears its brand proudly as the "Get it done. Go have fun." lawn and garden equipment. Exclusively powered by the world's leading small engines from Briggs & Stratton, Murray is a perfect fit for today's consumers who are seeking reliable, high-value products to simplify their busy lifestyle.

Briggs & Stratton Engines

Briggs & Stratton® engines are designed for reliability. They provide easy starting, low maintenance, and powerful performance – everything you've come to expect from a global engine leader.

Our Technology Explained



The E-SERIES initiative is about an evolution in overall standards that will widen choice and enhance the end user experience. These engines include improved emissions, easier starting and an enhanced customer experience.

The EX-SERIES engines deliver performance for the most demanding customer with the ingenious ReadyStart® system and premium Super Lo-Tone™ muffler. Superior power with one-pull, effortless starting combine to make a performance engine series.



The ReadyStart® system sets the standard for easy starting. The innovative breakthrough starting system eliminates the need to manually prime or choke the engine before starting. ReadyStart is available on select models.

3-in-1 Mowers

Walk mowers which have (1) Mulching, (2) Rear bagging and (3) Side discharge all in (1) unit.



Overhead Valve Technology

Overhead Valve Technology (OHV) is the core technology used in a number of Briggs & Stratton engines. An OHV engine design allows for a more efficient combustion of fuel-air mixture, compared to the side-valve engine. Thereby, reducing the exhaust emissions and providing for a longer life engine.

Self-Propelled Mowers

Use the power of the engine to pull itself along the yard. This feature vastly reduces the amount of work necessary to create a manicured lawn. Self-propelled mowers are perfect for yards up to ¾ acre.

20P45

450 Series™, 50cm



Basic Murray® 50 cm petrol-powered lawn mower is best for small yards with flat terrain. Featuring a reliable 125 cc Briggs & Stratton® engine with 4.5 gross torque*, this mower has plenty of power to get through thick patches of grass. The 18 cm wheels glide easily through tall grass while the side discharge option quickly clears cut grass away from your mowing path. Affordably-priced, this lawn mower is:

- **Just the Right Size:** 50 cm cutting width for small-sized yards or trimming
- **Hard Working Engine:** Briggs & Stratton 450 Series™ engine with 125 cc, 4.5 ft-lbs. gross torque* provides plenty of power to mow the lawn
- **Simple to Adjust:** Convenient height adjustment with 5 cut settings

Model 20P45L00

Engine Type	Briggs & Stratton®
Engine Features	450 Series™, 125cc
Drive Type	Push
Deck Size (cm)	50
Deck Material	Steel
Configuration	Side Discharge
Cutting Width (cm)	50
Height of cut positions	5
Front Wheel Size (cm)	18
Rear Wheel Size (cm)	18
Drive System	Push
Folding Handle	Yes
Collection Bag Capacity (L)	Not Available
Mulching Plug	Not Available

Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.



21P55

550ex Series™, 53cm



Easily maneuver around landscaping with the Murray® 53 cm petrol push mower featuring a reliable Briggs & Stratton 140cc OHV (Overhead Valve) 550ex Series™ engine. This mower is easy to start and is backed by the ReadyStart® starting promise. It also features 20 cm high rear wheels for enhanced mobility. Convenient 3-in-1 cutting deck lets you choose your cut finish from mulching, bagging or side discharge on the lawn.

- **More Cutting Options:** Choose your cut finish with 3-in-1 cutting mower deck: mulching, rear bagging or side discharge onto the lawn
- **Trusted Engine:** Reliable Briggs & Stratton 140cc OHV 550ex Series™ engine with excellent torque-to-weight ratio reducing vibration and improving sound levels

Model 21P55L30

Engine	Briggs & Stratton®
Engine Features	550ex Series™, ReadyStart®, 140cc
Drive Type	Push
Deck Size (cm)	53
Deck Material	Steel
Configuration	3-in-1
Cutting Width (cm)	53
Height of cut positions	5
Front Wheel Size (cm)	18
Rear Wheel Size (cm)	20
Folding Handle	Yes
Collection Bag Capacity (L)	Yes
Mulching Plug	Yes



* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton. † See www.murray.com/uk/en for details. Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.



21P67H

675ex Series™, 53cm

Save time mowing the lawn with the Murray 53 cm petrol lawn mower. The Briggs & Stratton 675ex Series engine will power through thick grass and the 30 cm high rear wheels provide better maneuverability on uneven grass and rolling hills. No set-up needed, as the Murray 53 cm lawn mower comes fully assembled. Its Briggs & Stratton engine features ReadyStart Starting System for no prime, no choke, no worries - just pull for power. This is an ideal choice for small to medium sized lawns.

- **Reliable Push Mower:** Push drive system maneuvers easily around landscaping
- **Dependable Power:** Reliable Briggs & Stratton 675ex Series™ Engine with 190cc, 6.75 ft-lbs gross torque*
- **3-in-1:** Featuring (1) Mulching, (2) Rear bagging and (3) Side discharge all in (1) unit

Model 21P67H30

Engine	Briggs & Stratton®
Engine Features	675ex Series™, ReadyStart®, 190cc
Drive Type	Push
Deck Size (cm)	53
Deck Material	Steel
Configuration	3-in-1
Cutting Width (cm)	53
Height of cut positions	5
Front Wheel Size (cm)	1
Rear Wheel Size (cm)	30
Folding Handle	Yes
Collection Bag Capacity (L)	Yes
Mulching Plug	Yes

* All power levels are stated gross torque at 2600 RPM per SAE J1940 as rated by Briggs & Stratton. Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.





22S67H

675ex Series™, 56cm

Quickly mow your lawn with the Murray® 50 cm petrol self-propelled mower featuring a front-wheel drive system that propels the mower forward effortlessly. With a reliable Briggs & Stratton 190cc OHV (Overhead Valve) 675ex Series™ engine, this mower is easy to start and is backed by the ReadyStart® Starting System. Convenient 3-in-1 cutting deck lets you choose your cut finish from mulch, bagging to side discharge on the lawn.

- **Pick Your Cut:** Simple 4-point, 5-position height adjustment handle located on each wheel
- **Perfect for Rough Terrain:** Better maneuverability with 18 cm front wheels and 30 cm rear wheels on uneven terrain or hills
- **Dependable Engine:** Reliable Briggs & Stratton 675ex Series™ Engine with 190cc, 6.75 ft-lbs gross torque†

Model 22S67H30

Engine	Briggs & Stratton®
Engine Features	675ex Series™ ReadyStart®, 190cc
Drive Type	Front Wheel Drive
Deck Size (cm)	56
Deck Material	Steel
Configuration	3-in-1
Cutting Width (cm)	55
Height of cut positions	5
Front Wheel Size (cm)	20
Rear Wheel Size (cm)	30
Drive System	Self Propelled
Folding Handle	Yes
Collection Bag Capacity (L)	Yes
Mulching Plug	Yes

† All power levels are stated gross torque at 2600 RPM per SAE J1940 as rated by Briggs & Stratton. Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.





38L14G

14.5 Gross HP*, 96 cm

Mow your lawn with ease using the Murray riding-mower. The dependable Briggs & Stratton engine features unique OHV (Over Head Valve) technology and a simple-to-maintain design for a more durable, long-lasting engine. The 45 cm turning radius means you'll spend even less time mowing. Convenient features like an adjustable, cushioned low back seat and 50 cm high-traction rear tires make for a smooth, comfortable riding experience.

- **Tight Turing Radius:** 45 cm turning radius helps you spend less time mowing
- **Comfortable Ride:** Adjustable, cushioned low back seat makes for a smooth ride
- **Turf Friendly Tires:** 38 cm front tires and 50 cm high-traction rear tires roll through thick grass with ease

Model 38L14G50

Engine	Briggs & Stratton®
Engine Power Rating (HP*)	14.5
Engine Features	OHV
Cylinders	1
Starting	Electric Start
Fuel Capacity (L)	5.67
Transmission Type	Gear
# Speeds	5
Frame Material	Steel
Cutting Width (cm)	96
Deck Type	Stamped
Deck Size (cm)	96.52
Deck Material	Steel
Deck Type	Stamped
Height of cut adjustment	Manual
Number of Blades	2
Front Wheel Size (cm)	38
Rear Wheel Size (cm)	45
Drive Type	Gear
Accessories	Rear Bag, Mulch Kit



* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton. † See www.murray.com/uk/en for details. Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.



42L17G

17.5 Gross HP*, 106 cm

Power through tall, thick grass with the Murray 106 cm riding lawn tractor powered by a robust Briggs & Stratton® Engine. The engine features unique OHV (OHV) technology and a simple-to-maintain design for a more durable, long-lasting engine. Best for large yards, the convenient 5-speed shift on-the-go transmission lets you set the pace without stopping for adjustments, while the tight 45 cm turning radius helps you spend less time mowing and more time enjoying your yard.

- **Tight Turing Radius:** 45 cm turning radius helps you spend less time mowing
- **Comfortable Ride:** Adjustable, cushioned low back seat makes for a smooth ride
- **Turf Friendly Tires:** 38 cm front tires and 50 cm rear tires rolls through thick grass with ease

Model 42L17G60

Engine	Briggs & Stratton®
Engine Power Rating (HP*)	17.5
Engine Features	OHV, Oil Filter
Cylinders	1
Starting	Electric Start
Fuel Capacity (L)	5.67
Transmission Type	Gear
# Speeds	5
Frame Material	Steel
Cutting Width (cm)	106
Deck Type	Stamped
Deck Size (cm)	106.68
Deck Material	Steel
Deck Type	Stamped
Height of cut adjustment	Manual
Number of Blades	2
Front Wheel Size (cm)	38
Rear Wheel Size (cm)	51
Drive Type	Gear
Accessories	Rear Bag, Mulch Kit



* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton. † See www.murray.com/uk/en for details. Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.



48L20H

20.0 Gross HP*, 121 cm

Count on the Murray riding mower to get the job done quickly and comfortably. Simply dependable, the reliable Briggs & Stratton Intek™ engine provides long-lasting power from a two-step debris management system that protects your engine and an Anti-Vibration System for a smoother ride. Convenient features like an automatic transmission, spring-assist deck lift, deck washout port and turf-friendly tires make for a better riding experience.

- **Solid Construction:** Durable steel front axle is built to last
- **Comfortable Ride:** Cushioned mid-back seat and cup holder provide enhanced rider comfort
- **Easy-to-use** spring assist deck lift, 2 anti-scalp wheels on the mower deck and handy deck washout port to clean the bottom of your deck
- **Turf Friendly Tires:** 38 cm front tires and 50 cm rear tires rolls through thick grass with ease

Model 48L20AH0

Engine Type	Briggs & Stratton®
Engine Horsepower (HP*)	20
Engine Features	V-Twin OHV, Oil Filter
Cylinders	2
Starting	Electric
Fuel Capacity	2.5
Transmission Type	Hydro
Number of Speeds	Infinite
Frame Material	Steel
Cutting Width (cm)	121
Deck Type	Stamped
Deck Size (cm)	121
Deck Material	Steel
Height of Cut Adjustment	Manual
Number of Blades	2
Front Wheel Size (cm)	38
Rear Wheel Size (cm)	50
Drive Type	Hydro
Accessories	Rear Bag, Mulch Kit



* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton. † See www.murray.com/uk/en for details. Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.



48G22H

22.0 Gross HP*, 121 cm

Count on the Murray Riding Mower to get the job done quickly and comfortably. Simply dependable, the reliable Briggs & Stratton Intek™ engine provides long-lasting power from a two-step debris management system that protects your engine and an Anti-Vibration System for a smoother ride. Convenient features like an automatic transmission, spring-assist deck lift, deck washout port and turf-friendly tires make for a better riding experience.

- **Solid Construction:** Durable steel front axle is built to last
- **Comfortable Ride:** Cushioned mid-back seat and cup holder provides enhanced rider comfort
- **Easy to use:** The spring assist deck lift, 2 anti-scalp wheels on the mower deck and handy deck washout port to clean the bottom of your deck make this mower easy-to-own.
- **Turf Friendly Tires:** 38 cm front tires and 50 cm rear tires rolls through thick grass with ease

Model 48G24G22	
Engine	Briggs & Stratton®
Engine Power Rating (HP*)	22
Engine Features	V-Twin OHV, oil filter
Cylinders	2
Starting	Electric Start
Fuel Capacity (L)	9.46
Transmission Type	Hydro
# Speeds	Infinite
Frame Material	Steel
Cutting Width (cm)	121
Deck Type	Stamped
Deck Size (cm)	122
Deck Material	Steel
Deck Type	Stamped
Height of cut adjustment	Manual
Number of Blades	2
Front Wheel Size (cm)	40
Rear Wheel Size (cm)	58
Drive Type	Hydro
Accessories	Rear Bag, Mulch Kit



* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton. † See www.murray.com/uk/en for details. Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.

M33-X

1.2 Gross HP*/0.9kW

A semi-professional brush cutter, Murray provides easier maintenance and a higher wear-resistance brush cutter suitable for tough projects.

- **Comfortable to use** The ergonomically contoured harness and bull handle provide added comfort and reduce fatigue making even the toughest jobs easier on you.
- **Murray 33 cc 2-Stroke, Straight Shaft Brush Cutter, Bull Handle & Harness.**



Model 866015

Engine Type	Single cylinder, air-cooled, 2-Stroke
Engine Power Rating	1.2HP*/0.9kW
Engine Features	32.6cc
Shaft	Straight
Weight (kg)	7.3
Fuel Capacity (L)	0.9

* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton. † See www.murray.com/uk/en for details. Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.

M43-X

1.7 Gross HP*/1.25kW

The Murray semi-professional brush cutter is both powerful and easy to use. It features a patented engine shroud design that lowers heat leading to a longer-lasting engine. It's easy to maintain and has a high wear-resistance making it a great choice for serious brush cutting projects.

- Handle: Bull Handle
- Murray 43 cc 2-Stroke, Straight Shaft Brush Cutter, Bull Handle & Harness.
- Quality parts for long life



Model 866019

Engine Type	Single cylinder, air-cooled, 2-Stroke
Engine Power Rating	1.7HP*/1.25kW
Engine Features	43cc
Shaft	Straight
Weight (kg)	7.8
Fuel Capacity (L)	1.2

* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton. † See www.murray.com/uk/en for details. Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.

BRIGGS&STRATTON AG

POST OFFICE BOX 54494

DUBAI, UAE

+971 (4) 299 49 44 | mea.info@basco.com

Copyright ©2014. All rights reserved. MP10853-11/14


M26-S

1.0 Gross HP*/0.75kW

This Murray string trimmer has a split bent shaft making it easy to transport and store. The patented Easy Link helps align the shaft when you are ready for use.

Built for improved comfort and durability with a comfort grip handle and an anti-vibration shaft mount. The cast alloy head and double bearing spindle and gear head increase durability to help you get work done.

- Murray 26cc 2-Stroke, Split Bent Shaft Trimmer, 38 cm Cutting Width, With Loop Handle
- Patented shroud design for improved air flow and engine longevity
- Murray patented Easy Link, self-aligning drive shaft coupling



Model 883004

Engine Type	Single cylinder, air-cooled, 2-Stroke
Engine Power Rating	1.0HP*/0.75kW
Engine Features	26cc
Shaft	Split Bent
Weight (kg)	5.0
Fuel Capacity (L)	0.4

* All power levels are stated gross horsepower at 3600 RPM per SAE J1940 as rated by Briggs & Stratton. † See www.murray.com/uk/en for details. Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.

Chainsaws

Bar Length: 355 mm, 406 mm, 457 mm

Powerful and efficient, Murray chainsaws get the job done. Designed by world-class engineers from from Briggs & Stratton, these chainsaws are created with you in mind. A range of reliable models and convenient features means you can choose the right chainsaw for your needs.



MCE1437



MCE1640



MCS1845

Model	MCS1845	MCE1640	MCE1437
Engine Type	45cc, 2 stroke	40cc, 2 stroke	37cc, 2 stroke
Max Power Output	8500rpm / 1.80kW	8500rpm / 1.50kW	8500rpm / 1.20kW
Starting Features	auto rewind Independent recoil for easy removing	auto rewind Independent recoil for easy removing	Auto rewind Independent recoil for easy removing
Drive Type	Direct	Direct	Direct
Clutch	Centrifugal	Centrifugal	Centrifugal
Chain Adjustment Type	Bar cover Screw/Worm gear	Easy tension system	Easy tension system
Oil Pump	Adjustable	Non-adjustable	Non-adjustable
Fuel Capacity	550cm3	400cm3	400cm3
Chain Pitch	0.325"	3/8"	3/8"
Chain Brake	Yes	Yes	Yes

Briggs & Stratton Products Group, LLC. reserves the right to change specifications, features or pricing without notice. Final product may vary from images shown. Product may not be available in all countries.





DISTRIBUTED BY:

YOUR LOCAL DEALER:

BRIGGS & STRATTON AG
P.O. BOX 54494 • DUBAI • UAE
COPYRIGHT ©2014 ALL RIGHTS RESERVED. MP10553-8/14

Briggs & Stratton reserves the right to change specifications, features or pricing without notice.
Final product may vary from images shown. Not all products are available in all locations.